



INDEX MAPS.

T. 26N. R. 15E. 2nd Mer.



T. 27N. R. 15E. 2nd Mer.



The figures on the lines refer to the page.

Ch^s Sk^s

South Boundary. Var. —

East On S. side of Sec. 31.
 8.00 Leave Prairie
 17.00 Enter Swamp
 22.50 Leave Do.
 40.00 Set gr. sec. post, from which
 a Beech 18 in. dia. bears S 72 W. 35 lb. dist.
 a No. Oak 30 " " " S 75 E. 40 " "
 80.00 Set post Cor. to Sec. 31 & 32. fr. wh.
 a Hickory 16 in. dia. bears N 33 E. 57 lb. dist. X
 a No. Oak 12 " " " S 52 W. 47 " "
 Land, 2nd rate level. Timb. Ash,
 Beech, Oak Hickory & Spice.

East On S. side of Sec. 32.
 18.33 Road to Fort Wayne.
 40.00 Set gr. sec. post, from which
 a Sugar 10 in. dia. bears N 22 E. 40 lb. dist.
 a Do. 20 " " " S 22 W. 24 " "
 67.00 Crossed Branch 15 lb. wide Course N.
 80.00 Set post Cor. to Sec. 32 & 33. from which
 a Beech 16 in. dia. bears N 57 E. 11 lb. dist. X
 a Do. 14 " " " S 19 W. 10 " "
 Land, 2nd rate level Timb. Beech,
 Sugar and ash. — Spice &c.

East On S. side of Sec. 33.
 38.50 a Run 6 lb. wide Course N.
 40.00 Set gr. sec. post, from which
 a Hickory 15 in. dia. bears S 78 W. 12 lb. dist. X
 an Ash 18 " " " N 85 E. 24 " "
 48.50 a Run 20 lb. wide Course N.
 80.00 Set post Cor. to Sec. 32 & 33, from which
 Land 2nd rate level Sycamore 20 in. dia. bears S 10 W. 50 lb. dist. X
 Beech Ash
 Hickory &c. an Ash 15 in. dia. bears N 17 E. 33 " "

420 T. 26 N. R. 15 E. 2nd Mer. Indiana.
 Oct. 1844

East On S. Side of Sec. 34.
 40.00 Set gr. Sec. post, from which
 a Beech 16 in. dia. bears S 37 E. 30 lks. dist. X
 a Sugar 15 " " " N 60 W. 27 " " "
 56.50 Enter Swamp
 68.00 Left Swamp
 78.00 Intersect State Line.
 Land, W. 1/2 good farming level. Timber.
 Beech Sugar, Ash, Sycamore &c.
 East 1/2 part same part Swamp.
 Surveyed in 18—
 By Jas. J. Worthington, D.S.

North Boundary.

East On S. Side of Sec. 31. T. 27 N. R. 15 E.
 40.00 Set gr. Sec. post, from which
 a Bl. Walnut 11 in. bears N 37 E. 18 lks. dist. X
 a W. Oak 8 in. dia. bears N 57 W. 7 lks. dist.
 50.00 Road from Greenville to Hotwayne
 80.00 Set post cor. to Secs 31 & 32, from wh.
 a W. Ash 18 in. dia. bears N 85 W. 15 lks. dist. X
 a Beech 24 " " " N 38 E. 75 " "
 Land 2nd rate. W. & Bl. Ash, Elm,
 Sycamore Hickory Sugar Beech &c.

East On S. Side of Sec 32. T. 27 N. R. 15 E.
 40.00 Set gr. Sec. post, from which
 a Bl. Ash 6 in. dia. bears N 41 W. 30 lks. dist. X
 a W. Oak 18 in. dia. " N 5 E. 53 " "
 80.00 Set post cor. to Secs 32 & 33. from which
 a Beech 24 in. dia. bears N 44 E. 36 lks. dist. X
 a Do. 15 " " " N 45 W. 56 " "
 Land, 2nd rate. W. & Bl. Ash, Elm,
 Sugar Beech &c. — Spruce & P. Ash.

D

S. 26 N. No. 15 E. 2nd Mer. Ind^a

421

Ch. H.

East On S. Side of sec. 33. S. 27 N. No. 15 E.
 40.00 Set gr. sec. post, from which
 a Wh. Oak 50 in. dia. bears N 45 W 15 N. dist.
 a Beech 12 in. dia. bears N 43 E. 15 " "
 78.50 Crossed Blue Creek 75 ft. wide course N. E.
 80.00 Set post cor. to sec. 33 & 34, fr. which
 a Sycamore 50 in. dia. bears N 64 W 47 N. dist. X
 a Beech 24 in. dia. bears N 4 E. 42 " "
 Land, 2nd rate. Beech Wh. & H. Oak.
 Wh. Ash & Sugar &c. Spice & P. Ash.

East On S. Side of sec. 34. S. 27 N. No. 15 E.
 40.00 Set gr. sec. post, from which
 a Dogwood 5 in. dia. bears N 72 W. 3 N. dist.
 a Beech 12 " " " N 72 E. 16 " "
 79.00 a Brook 10 ft. wide course N. W.
 80.00 Set post cor. to sec. 34 & 35, fr. wh.
 a H. Oak 20 in. dia. bears N 24 W. 40 N. dist. X
 a Sugar 24 " " " N 47 E. 52 N. dist.
 Land, 2nd rate. H. & W. Oak, Beech,
 Sugar Wh. Ash, Sycamore &c. Spice &c.

East On S. Side of sec. 35. S. 27 N. No. 15 E.
 3.22 Intersect State line Between Ind^a & Ohio.
 Land and Sub. same.
 Surveyed in 18-
 By J. H. Heiley, Dep. sur.

West Boundary.

North On E. side of sec. 36. S. 26 N. No. 14 E.
 20.00 Enter Swamp cor. E. & W.
 40.00 Set gr. sec. post
 no bearing trees.
 60.00 Leave Swamp
 80.00 Set post cor. of sec. 25 & 36, fr. which

422 S 26 N. R. 15 E. 2nd Mer. Ind.
Ch. W.

a Hickory 12 in. diam. bears N 52 W. 10 lb. dist.
a Bl. Oak 18 " " " N 66 E. 25 " "
Land, low wet swampy. Timber,
Ash, Oak and Maple.

North On E. side of Sec. 25. S. 26 N. R. 14 E.
36.68 a Hickory 9 in. diam.
40.00 Set gr. sec. post. from which
a Walnut 9 in. dia. bears S 51 W. 24 lb. dist.
an Iron wood 9 in. " " N 57 E. 19 " "
80.00 Set post Cor. to Sec. 24 & 25. from which
a Hickory 12 in. dia. bears N 57 E. 19 lb. dist. &
an Iron wood 5 in. " " N 53 W. 26 " "
Land, level Timber: Oak Hickory &c.

North On E. side of Sec. 24 S. 26 N. R. 14 E.
4.60 an Ash 18 in. diam.
34.50 a creek 50 ft. wide course S. E.
40.00 Set gr. sec. post. from which
a Beech 15 in. dia. bears N 40 W. 15 lb. dist. &
a Iron wood 4 in. " " S 43 E. 19 " "
62.55 a Bl. Oak 9 " "
80.00 Set post Cor. to Sec. 13 & 24, from which
a Beech 20 in. dia. bears S 56 W. 10 lb. dist. &
a Do. 24 " " " S 70 E. 34 " "
Land as above.

North On E. side of Sec. 13. S. 26 N. R. 14 E.
19.00 an Elm 30 in. dia.
40.00 Set gr. sec. post. from which
a Bl. Oak 24 in. dia. bears S 67 E. 14 lb. dist.
a Do. 12 " " " S 74 W. 26 " "
66.22 a Beech 12 in. diam.
80.00 Set post Cor. of Sec. 12 & 13. from which
an Ash 12 in. dia. bears S 6 E. 16 lb. dist. &
a Do 15 " " " N 36 W. 19 " "

T. 26 N. R. 15 E. 2nd Mer. Indⁿ

423

Ch. Lk. Land, ad above.

North On E. side of Sec. 12. T. 26 N. R. 14 E.

25.18 a Hickory 12 in. dia.

40.00 Set q. sec. post, from which
a Hickory 15 in. dia. bears S 44 E, 13 lks. dist. &
a Beech 14 " " " N 54 W 29 " "

52.12 a Bl. Oak 30 in. diam.

80.00 Set post cor. to Sec. 1 & 12, from which
an Elm 12 in. dia. bears N 58 W, 20 lks. dist. &
a Hickory 4 " " " S 22 E, 16 " "
Land, level. Tint. ad before.

North On E. side of Sec. 1. T. 26 N. R. 14 E.

25.94 an Elm 18 in. diam.

40.00 Set q. sec. post, from which
a Bl. Oak 12 in. dia. bears N 75 E, 18 lks. dist. &
an Ash 12 " " " N 25 W 13 " "

58.85 a Bl. Oak 12 in. diam.

80.00 Set post cor. of Towns 26 & 27 N. Ranges 14 & 15
East, from which
an Elm 18 in. dia. bears N 64 E, 15 lks. dist. &
a Beech 12 " " " N 43 W 32 " "
Land, ad above.

Surveyed in 1820 By John Mc^{re} Donald
Dep. Sur.

Subdivisions

North Between Sec. 31 & 32. Var. 4° 20' E.

14.94 a Hickory 18 in. diam.

22.00 Swampy.

35.00 Enter Swampy Prairie.

39.50 Left Prairie.

40.00 Set q. sec. post, from which
a Bl. Oak 12 in. dia. bears S 78 E, 4 lks. dist. &

424

S 26 N. R. 15 E. 2nd Mer. Ind^o
Ch^o. W^o.

a Wh. Oak 24 in. dia. bears N 78 W, 15 W. dist.
51.00 Enter Swampy Prairie.
80.00 Cor. to Sect 29, 30, 31 & 32, & Post & Mound
in Prairie.
Land, North 1/2 Swampy Prairie.
South 1/2 part same - part 2nd rate
level Beech, Sugar, Ash, Spice.

West On Monocum betwⁿ Sec. 30 & 31.
40.00 Set temp. gr. Sec. post. 6:
61.00 Enter Woods.
82.00 Intersect the N & S line 12 3/4 W. N. of post.

East Locust line betwⁿ Sec. 30 & 31.
41.00 Set gr. Sec. post, from which
a Sugar 24 in. dia. bears S 7 W, 750 W. dist.
No more trees
82.00 Sec. corner
Land wet Prairie generally flags &
Water Lilies.

North Between Sec. 29 & 30.
22.00 Left Prairie
22.56 a Honey Locust 6 in. diam.
26.00 a House bears N 56 E.
40.00 a House " S 36 E.
40.00 Set gr. Sec. post, from which
a W. Oak 30 in. dia. bears N 74 E, 84 W. dist.
an Ash 20 in. " " S 24 W, 16 " "
48.50 Enter swamp
54.50 Left Swamp
55.52 a W. Oak 12 in. diam.
60.00 Swampy.
80.00 Set post cor. to Sec. 19, 20, 29 & 30, from wh.
a Sugar 20 in. dia. bears N 74 W, 16 W. dist. &
a Beech 8 " " " S 86 E, 29 " "

T. 26 N. R. 15 E. 2nd Mer. Indiana.

425

Ch² M¹

Land, South $\frac{1}{2}$ wet Prairie. North $\frac{1}{2}$
2nd rate wood Beech, Sugar, Ash.

West On Random between Sec. 19 & 30.

3.50 at stream 20 Ch² wide course N.W.

40.00 Set temp. gr. sec. post. N. 67° 40' E.

74.50 a Run 6 Ch² wide to N.

80.66 Intersect N & S. line 40 Ch² N. of post

East Connect line between Sec. 19 & 30.

40.33 from post cor. to gr. sec.

an Ash 8 in. dia. bears N 18 W. 12 Ch² dist. &

a cherry 8 " " " 42 E. 26 " "

Land, good for farming level, Timber:
Oak, Hickory, Walnut, Sugar, & Spice &c.

80.66 Sec. cor.

North Between Sec. 19 & 20.

11.00 Swampy.

12.59 a Beech 3 in. dia.

40.00 Set gr. sec. post. from which
a Beech 8 in. dia. bears N 59 E. 38 Ch² dist. &
a Dr. 18 " " " 59 W 15 " "

66.50 an Ash 12 in. diam.

68.00 To Blue Creek 30 Ch² wide course E.
on N. side, high banks.

80.00 Set post cor. to Sec. 17, 18, 19 & 20, from wh.
a Hvy. 8 in. dia. bears N 25 E. 28 Ch² dist. &
a Dr. 18 " " " 30 W 33 Ch² dist.

Land, good for farming level land.
Timber: Beech, Ash, Oak, Hickory, Sugar
Spice &c.

West On Random between Sec. 18 & 19. N. 7°

40.00 Set temp. gr. sec. post.

80.25 Intersect N & S. line 53 Ch² N. of post.

426

S. 26 N. R. 15 E. 2nd Mer Indiana.

Ch. Pk.

East Correct line between Sec. 18 & 19.

40.12 Set gr. Sec. post, from which
an Ash 30 in. dia. bears S 38 E. 17 1/2 W. dist. X
a Beech 12 " " " N 56 W. 29 " "
Land, E. 1/2 good farming level land.
Timb. Beech Sugar Ash Walnut. W. 1/2
80.25 Sec. cor.
Wet level land. Oak, Ash, Elm & Spice

North Between Sections 17 & 18.

20.82 an Ash 24 in. diam.

40.00 Set gr. Sec. post from which
a Yew 10 in. dia. bears N 57 E. 21 W. dist. X
a Beech 12 " " " S 64 W. 29 W. dist.

52.84 a Wh. Elm 16 in. diam.

80.00 Set W. Sec. post, from which
(Corner to Sec. 7, 8, 17 & 18.)

a Beech 14 in. dia. bears N 23 W. 16 W. dist.

a Do. 14 " " " S 36 E. 25 " "

Land, 2nd rate level. Beech, Sugar,
Ash & Spice.

West An Random betwⁿ Sec. 17 & 18.

40.00 Set Comp. gr. Sec. post.

80.25 Intersect N. & S. line 59 W. N. of post.

East Correct line between Sec. 7 & 18.

40.12 Set gr. Sec. post, from which
a Beech 14 in. dia. bears N 83 E. 34 W. dist. X
a Do. 16 " " " S 80 W. 11 " "

Land, 2nd rate level. Timb.
Beech Sugar Ash & Spice.

80.25 Sec. cor.

North Between Sections 7 & 8. N. 4.° 30. ' E.

20.50 a Beech 15 in. diam.

40.00 Set gr. Sec. post, from which

427

T. 26 N. R. 15 E. 2nd Mer. Indiana.
ch. W.

an Ash 6 in. dia. bears N 80 W 14 lb. dist. and
an Ash 6 " " " S 60 E. 14 " "
57.70 an Ash 15 in. diam.
71.00 a road course E & W.
80.00 set post cor. to sec. 5, 6, 7 & 8, from wh.
a Beech 14 in. dia. bears S 47 W 44 lb. dist.
a do. 14 " " " N 41 E. 32 " "
Land, 2nd rate level. Beech Ash
Elm Sugar & spice.

West On Random betw^{en} sec. 6 & 7.
10.50 Road to "Fort Wayne" 7th 30th E.
40.00 set temp. gr. sec. post.
82.20 Intersect 84 lb. N. of post. the N & S line

East correct line between sec. 6 & 7.
41.10 set gr. sec. cor. post from which
a Spruce 14 in. dia. bears S 80 E. 8 lb. dist. &
a Beech 12 " " " S 64 W. 25 " "
82.20 Sec. corner.
Land, 2nd rate level. Prim. Beech,
Ash, Oak, Elm & spice.

North Between sec. 5 & 6.
22.04 a Burr Oak 15 in. diam.
40.00 set gr. sec. post, from which
a wh. Oak 16 in. dia. bears N 23 W. 37 lb. dist.
an Aspen 12 " " " S 16 E. 7 lb. dist.
61.09 a Beech 12 " "
77.50 Intersect N. Boundary 86 lb. N. of post.
& set post cor. of sec. 5 & 6, from wh.
a Beech 12 in. dia. bears N 83 W. 21 lb. dist. &
a do. 10 " " " N 84 E. 44 " "
Land, level wet land. Prim. Oak,
Beech, Ash, Elm. Mud. Spice and
P. Ash.

T. 26 N. R. 15 E. 2nd Mer. Ind^a

ch. M.

North Between Secs. 32 & 33.

20.59 a Hickory 20 in dia.

40.00 Set gr. Sec. post, from which
a Beech 20 in. dia. bears East 23 ths.
a Do 14 " " " West 57 "

48.00 Enter Swamp

52.00 a Stream 15 ths. wide ers. E.

61.50 Left Swamp.

76.00 Enter Swamp

76.24 a W. Elm 16 in. dia.

78.50 Left Swamp

80.00 Set first Cor. Secs. 28: 29 32 & 33

a Beech 20 in. dia. bears S 76 E. 53 ths.

a Do 16 " " " S 82 W. 50 "

Land S half. good 2nd rate level N.
half part same part Slope. Timber
Beech, Sugar, ash, oak.

West Random bet. Secs. 29 & 32.

33.00 a Road runs N & S.

39.00 Enter prairie

40.00 Set gr. Sec. post (Temp)

80.54 Intersected N. & S line 134 ths. N. of post

East Correct line bet Secs. 29 & 32.

#40.28 Set gr. Sec. post, from which

a Burr Oak 18 in. dia. bears S 56 E 107

a W. Elm 24 " " " S 86 E 117 ths. Det.

Land E. half. 2nd rate level Tim. Beech,
Sugar, ash W. half. wet prairie &
an. improvement of 3 acres lies just
west of this corner.

81.56 Section corner

North Between Secs. 28 & 29.

6.00 a run 10 ths. wide ers. N. W.

429

S. 26 N. R. 15 E. 2nd Mer. Ind^g
 Ch. M.

6.50 Enter Swamp
 13.00 a W. Elm 20 in. dia.
 35.00 Left Swamp
 40.00 Set gr. Sec. post. from which
 a W. Oak. 12 in. dia. N. 68 E. 7 lbs.
 a Do 16 " " bears S 27 W. 37 lbs.
 45.00 a Road from Robinsons to Rileys
 53.00 Enter Swamp
 57.00 Left Swamp crs. mostly N. W.
 70.03 a W. Oak 18 in. dia.
 80.00 Set post cor. to Secs. 20, 21, 28 & 29
 a Cottonwood 50 in. dia. bears N 72 W. 19
 a Bur. Oak 10 " " " N 53 E. 10
 Land S. half Swamp. N. half 2nd
 rate here Lim. Oak, Hick. open woods

West On Random bet. Secs. 20 & 29. Var. 6.20!
 34.50 Road from Wayne to Recovery.
 40.00 Set Temp. gr. Sec. post
 81.08 Intersected N & S line 8 lbs. N. post

East Correct line bet. Secs. 20 & 29
 40.54 Set gr. Sec. post. from which
 an Oak. 12 in. dia bears N 70 E. 26 lbs.
 a W. Elm 24 " " " S 77 W. 17 "
 Land 2nd rate here Lim. Beech,
 Sugar. Oak. Spice.
 81.08 Sec. Cor.

North Between Secs. 20 & 21.
 14.90 a Hickory 16 in. dia.
 40.00 Set gr. Sec. post. from which
 an Oak 24 in. dia. bears S 57 E. 10 lbs. Det.
 a Blue Oak 16 " " " N 70 W. 47 " "
 45.50 To Do. Creek 50 th. c. E.
 57.00 To Blue Creek 50. c. S. W.
 62.00 To Do. Creek 50. c. S. E.

T 24 N. R. 15 E. 2nd Mer. Indiana.
 ch. 4th.

81.00 Set post Cor. Secs. 16, 17, 20 & 21
 a W. Oak 10 in. dia. for Cor. fr. wh.
 a Beech 20 in. dia. bears S 53 W. 35 lbs.
 Land 2nd rate level Tim. Beech, ash,
 oak, Hickory, Spice.

West On Random bet. Secs. 17 & 20

35.50 Road To Fort Wayne.

40.00 Set Temp. gr. Sec. post

81.34 Intersected N & S line 161 lbs. S. of post

East Correct line bet. Secs. 17 & 20.

40.67 Set gr. Sec. post, from which
 an ash 12 in. dia. bears S 83 E. 25 lbs. Det.
 a Beech 10 " " " N 57 W. 16 " "
 Land good 2nd rate level Tim. Beech,
 ash, oak, Hickory, Spice.

81.34 Section Cor.

North Between Secs. 16 & 17.

6.00 a Blue Creek 600 W. High bank on S. Side

20.92 An Ash 20 in. dia.

23.50 Blue Creek 60 lbs wide crs N. E.
 High bank on N. Side

40.00 Set gr. Sec. post from which

An Ironwood 8 in. dia. bears N 40 W. 45

a Beech 12 " " " S 55 E. 12 lbs.

55.54 a Beech 18 in. dia.

80.00 Set post Cor. Secs. 8, 9, 16 & 17 fr. which

a Sycamore 48 in. dia. bears N 41 E. 5 lbs.

a Hickory 16 in. dia. bears S 31 W. 45 lbs.

Land 2nd rate level. Tim Beech, oak,
 Hickory, & Spice.

West On Random bet. Secs. 8 & 17.

40.00 Set Temp. gr. Sec. post

54.00 Road to Ft. Wayne
81.45 Intersected N & S line 29 ths. S. of post

East Correct line bet. Secs. 8 & 17.
40.72 Set gr. Sec. post. from which
a Beech 12 in. dia. bears S. 63 E. 33 ths.
a Do 12 " " " N 60 W. 32 "
Land 2nd rate level Tim. Beech, ash,
Oak, Hickory, Spruce.
81.45 Section corner.

North Between Secs. 8 & 9.
30.94 a Beech 10 in. diam.
40.00 Set gr. Sec. post. from which
a Bur. Oak 30 in. dia. bears N 47 W. 19
a Do " 18 " " " S 61 E. 53 ths.
59.95 a Beech 18 in. dia.
64.00 a Run 10 ths wide est. East.
80.00 Set post cor. to Secs. 4, 5, 8 & 9, from which
a W. Oak 24 in. dia. bears S 32 E. 55 ths. Set.
a Bur Oak 15 " " " " N 48 E. 32 " "
S. half 2nd rate level. Tim Beech,
Sugar ash N. half. good farming
rolling Land, Tim. Beech, ash, Buckeye
Oak, Spruce.

West On Random bet. Secs. 5 & 8.
40.00 Set Temp. gr. Sec. post.
47.00 a Run 10 ths. wide est. S.
65.00 a Run 10 ths. " " N.
81.90 Intersected N & S line 60 ths. S. of post

East Correct line bet. Secs. 5 & 8.
Set gr. Sec. post. from which
a Beech 12 in. dia. bears N 44 E. 22 ths.
a W. Elm 14 " " " S 44 W. 41 "

T. 24 N. R. 15 E. 2nd Mer. Ind. $\frac{a}{b}$

Ch. 1st. Land, 2nd rate level Tim. Beech,
ash, oak, Hickory, Spruce.
81.90 Section corner

North Between Secs. 4 & 5.

21.00 a W. Oak 30 in. dia.

40.00 a Hickory 24 in. dia. for gr. Sec. post
a Beech 10 " " bears N 22 E. 8 lbs. det.

55.10 a Beech 15 in. dia.

80.00 Intersected Town. line 117 lbs E. of Mc Donalds
post & Set post, from which
a Beech 14 in. dia. bears N 55 E. 25 lbs det.
a W. Oak 24 " " " S 43 W. 44 " "
Land, S. half. level, wet, & brushy Tim.
Oak, Aspen. And Elm. N. half 2nd rate
level Tim. Beech, ash, oak, & Spruce

North Between Secs. 33 & 34. V. 5 & 30.

19.50 a W. Oak 26 in. dia.

40.00 Set gr. Sec. post, from which
an ash 5 in. dia. bears N 18 W. lbs. det.
a W. Elm 12 " " " S 18 E. 19 " "

42.00 Enter Swamp

51.50 a Cottonwood 24 in. dia.

62.00 Left Swamp.

80.00 Set post Cor. Secs. 27, 28 33 & 34 p. wh.
a Beech 6 in. dia. bears N 41 W. 36 lbs. det.
a Hickory 18 " " " S 41 E. 24 " "
Land, S. half 2nd rate level. Tim. Beech,
ash, Sugar. N. part Same part Swamp.

West Between Secs. 28 & 33 on Random

40.00 Set Temp. gr. Sec. post

47.00 Enter Swamp.

57.00 Left Swamp

75.00 a Swampy Stream 150 yds. wide crs. N.

79.80 Intersected N & S line 200 lbs. N. of post

East correct line bet. Secs. 28 & 33.

39.90 Set gr. Sec. post, from which
a Beech 16 in. dia. bears S 72 E. 38 lbs. Dist.
a Do 12 " " " " N 48 W. 21 " "
Land 2nd rate level with Swamps.
Timber Beech, ash, oak and Hickory

79.80 Section corner.

East Between Secs. 27 & 34.

26.14 a Sugar 12 in. dia.

40.00 Set gr. Sec. post, from which
a Beech 12 in. dia. bears N. 8 W. 26 lbs.
a Do 12 " " " " S 35 E. 37 "

57.15 an Ash 24 in. dia.

58.00 Enter Swamp

64.00 Left Swamp

79.60 Intersected State Line & Set post
an Ash 5 in. dia. bears N 40 E. 86 lbs. Dist.
a Do 10 " " " " S 72 W. 56 " "
Land, 2nd rate level Tim. Beech,
Sugar, ash & Spruce.

North Between Secs. 27 & 28. 6. 5. 00.

16.87 a W. Elm 12 in. dia.

17.00 Enter Swamp

21.00 Open wet prairie

34.00 Left prairie (extends E & W.

40.00 Set gr. Sec. post, from which
a Beech 18 in. dia. bears East 27 lbs. Dist.
a Do 18 " " " " S 58 W. 9 " "

58.53 a Beech 14 in. dia.

80.00 Set post cor. Secs. 21, 22, 27 & 28 from wh.
a Bur. Oak 18 in. dia. bears S 29 E. 10 lbs
a Box Elder 5 " " " " N 59 W. 15 "

434

T. 26 N. R. 15 E. 2nd Mer. Indiana

ch. Lk. Land, N. half 2nd rate Lobl. Tim.
Beech, Sugar, Ash & Spice S. half.
part Sashu part wet prairie.

West On Random bet Secs. 21 & 28 70° 10':
16.00 a Stream 20 lks. wide crs. N.
40.00 Set Temp. gr. Sec. post.
50.00 Road from Robinsons to Ribays
68.00 Swampy run 50 lks wide crs. N.
79.60 Intersected line 24 lks. S. of post

East Corner line bet. Secs. 21 & 28.
39.80 Set Gr. Sec. post, from which
a Honey Locust 18 in. dia. bears N 3 E, 35 lks.
an Hornwood 6 " " " S 14 W, 13 "
Land E. half 1st rate & Lobl. Tim. Beech,
Sugar, Ash, Walnut. W. half 2nd rate
Lobl. Tim. Beech, ash, Oak, Hickory, Spice.
79.60 Section corner.

East Between Secs. 22 & 27.
16.42 a Beech 18 in. dia.
29.50 Enter a prairie
40.00 Set gr. Sec. post, from which
a W. Elm 18 in. dia. bears N 9 E, 88 lks.
a Bur. Oak 6 " " " S 49 E, 43 "
79.72 Intersected State Line 443 lks. S of 109.
M. Set post from which
a W Elm 24 in. dia. bears East 486 lks.
No other tree
Land E. half wet prairie W. half 2nd rate
lobl. Tim. Beech, Sugar, ash, Spice.

North Between Secs. 21 & 22. 5° 20':
20.10 a Sugar. 10 in. dia.
40.00 Set gr. Sec. post, from which

435

T. 26 N. R. 15 E. 2nd Mer. Indiana.

48.40 a Beech 12 in. dia. bears N 3 E, 11 lbs.
 a Do 14 " " " S 3 W, 30 lbs.
 58.50 a W. Oak 24 in. dia.
 80.00 Set post Cor. to Secs. 15, 16, 21 & 22 from
 a Beech 12 in. dia. bears N 10 W, 11 lbs.
 a Do 16 " " " S 65 E, 19 "
 Land 2nd rate level Tim. Beech,
 Ash, Oak, Hickory, Spruce.

West On Random bet. Secs. 16 & 21
 27.00 Road to Capt Rileys
 40.00 Set Temp. gp. Sec. post
 48.50 Blue Creek 60 lbs. wide ers. N. W.
 54.00 Enter bend of blue Creek 60 lbs. wide ers. S. W.
 58.00 Left bend ers. N. W.
 79.20 Intersected N. & S line 126 lbs N of post.

East Corner line bet. Secs. 16 & 21.
 39.60 Set gp. Sec. post, from which
 a Bur. Oak 40 in. dia bears N 47 E, 6 lbs.
 a W. Elm 20 " " " S 37 W, 24 "
 Land, 2nd rate level Tim. Beech, Ash,
 Oak, Hickory, Elm, Spruce, & pitch
 79.20 Section Corner.

East Between Secs. 15 & 22.
 33.90 a B. Oak 24 in. dia.
 40.00 Set gp. Sec. post, from which
 a Sycamore 20 in. dia. bears East 33 lbs.
 a Hickory 10 " " " S 74 W, 28 "
 52.00 a Sycamore 24 in. dia.
 79.70 Intersected State line 350 lbs S. of 110 m.
 post. Set post, from which
 a Beech 12 in. dia. bears S 45 E, 38 lbs.
 a Do 14 " " " N 45 W, 3 "
 Land, 3rd rate level Tim. Beech, ash,

436

S. 26 N. Twp. 15 E. 2nd Mer. Ind. ^a/_uCh^o. H^o. Hickory, Oak, & Elm. Spice

North Between Secs. 15 & 16.

14.18 a Hickory 20 in. dia.

110.00 Set gr. Sec. post, from which
a Beech 12 in. dia. bears N 27 W, 27 lbs
an Elmwood 6 " " " S 35 E. 22 "

111.50 a Road to Capt Rileys

146.00 a Run 6 lbs. wide ers. W.

63.03 a Beech 24 in. dia.

80.00 Set post Cor. Secs. 9, 10, 15 & 16. fr. wh.
a N. Oak 18 in. dia. bears N 18 E, 20 lbs.
a W. Oak 16 " " " S 14 W, 20 "
Land 2nd rate level. Beech, ash, oak,
Hickory Spice. the Timber.

West On Random bet Secs. 9 & 16.

22.50 Blue Creek 50 lbs wide ers. N. Rapids

110.00 Set Temp. gr. Sec. post.

79.00 Intersected N & S line 37 lbs. N. of post

East Correct line bet. Secs. 9 & 16.

39.50 Set gr. Sec. post, from which
a W. Oak 18 in. dia. bears N 41 E, 43 lbs.
a Do " 14 " " " S 66 W, 34 "Land, good 2nd rate level. Tim Beech,
Ash, Oak, Elm, Spice.

79.00 Section Corner.

East Between Secs. 10 & 15

10.50 a Run 6 lbs. wide ers. N.

17.77 a Beech 24 in. dia.

24.50 Road to Capt Rileys

40.00 Set gr. Sec. post, from which
a Beech 16 in. dia. bears N 3 E, 45 lbs.
a Do 20 " " " S 18 W 39 "

437

T. 26 N. R. 15 E. 2nd Mer. Indiana.

55.10 a Sugar 30 in. dia.
 80.12 Intersected State line 240. lks. S. of post
 & Set post. from which,
 a Pin oak 10 in. dia. bears N 24 E. 16 lks.
 an Ash 10 " " " S 41 W. 12 "
 Land, & half. Level & met Tim. Ash, Elm.
 W. half. 2nd rate level Tim. Beech, Sugar
 ash & Spice.

North Between Secs. 9 & 10.

10.59 a Beech 20 in. dia.
 17.50 a Run 6 lks. wide ers. W.
 33.50 Blue Creek 50 lks. wide ers. N. E.
 38.00 Do do 50 " " " N. W.
 110.00 Set q. Sec. post. from which
 an Ash 10 in. dia. bears S 25 W. 37 lks.
 a Hackberry 10 " " " N 25 E. 55 "
 42.00 Blue Creek 50 lks. wide ers. N. E.
 45.50 a do 50 " " " N W
 57.00 a Beech 20 in. dia.
 80.00 Set post cor. Secs. 3, 4, 9 & 10. from wh.
 a W. Oak 10 in. dia. bears N 13 E. 6.32 lks.
 a Beech 14 " " " S 15 E. 32 "
 Land 2nd rate level. Tim. Beech,
 Ash, Oak, Hickory, Spice.

West An Random bet. Secs. 4 & 9.

38.50 Blue Creek 60 lks. wide ers. N.
 40.00 Set Temp. q. Sec. post.
 44.00 Blue Creek 100 lks. wide ers. S. W.
 47.00 op. Side
 57.00 Blue Creek 60 lks. wide ers. N.
 79.17 Intersected N & S line 18 lks. N. of post
 61.00 a Run 10 lks. wide ers. North

East Correct line bet. Secs. 4 & 9.

S. 26 N. R. 15 E. 2nd Mer. Indiana.

39.68 Set gr. Sec. post. from which
a water Beech 5 in. dia. bears N 13 E, 22
a Buckeye 10 " " " S 13 W, 5 lbs.
Land, good farming level Tim. Beech,
Buckeye, ash, Oak Spruce.

North Between Secs. 4 & 3.

25.50 a Hickory 18 in. dia.

40.00 Set gr. Sec. post. from which
a Beech 12 in. dia. bears S 42 E, 47 lbs.
a Do 12 " " " N 39 W, 30 "

56.00 a Bur. Oak 30 in. dia.

78.10 Intersected Town Line 28 lbs. North of
McDonalds post. & Set post from which
a Beech 12 in. dia. bears N 60 E, 23 lbs.
a Lym 24 " " " S 66 W, 16 "
Land, 2nd rate level Tim. Beech, Sugar,
Ash, Oak, Spruce

East Between Secs. 3 & 10.

110.00 Set gr. Sec. post. from which
a Beech 12 in. dia. bears S 51 E, 7 lbs. Det.
a Do 20 " " " N 30 W, 50 " "

62.00 a Road to Rileys

80.36 Intersected Town Line 211 lbs. South
of 112 M. post & Set post. from which
a Beech 20 in. dia. bears N 23 E, 20 lbs.
a Do 24 " " " S 23 W, 110 "
Land, 2nd rate level Tim. Beech, ash,
Sugar, Oak, Spruce.

Surveyed in May 1822 by

Jas. J. Worthington
Dep. Sur.

T. 26 N. R. 15 E. 2nd Mer. Ind^a 439

I certify that the foregoing transcripts
of the Field Notes of Fractional Town-
-ship N^o. 26 North in Range 15 East
2 Meridian in Indiana, has been com-
-pared with the original in this Office
and found to be correct.

Surveyor-General's Office.

Cincinnati, March 31st, 1845.

William Johnston
Sur. Genl.